



COMMERCIAL FOOD PROCESSING EQUIPMENT SUPPLIER | EST. 2011

COMMERCIAL MEAT CUTTER COMPLETE SERIES

High-Performance Meat Slicing, Shredding & Dicing Equipment for Professional Kitchens



PRODUCT CATALOG & FULL SPECIFICATION MATRIX (19 MODELS)

Zhengzhou Newin Machinery Co., Ltd.

1. Executive Summary & Value Proposition

Newin Machinery commercial electric meat cutter machines are engineered for butcher shops, meat processing plants, steakhouses, delis, supermarkets, and catering facilities. Designed with high-torque electric motors, food-grade stainless steel frames, and removable knife set cartridges, our equipment handles slicing, shredding, and dicing with speed, precision, and complete sanitation.

Key Technical Features

- Removable & Washable Knife Sets:** Cantilever knife group design allows quick tool removal for thorough washing and cold storage to maintain sanitation.
- Sanitary Food-Grade Build:** Full stainless steel construction meeting strict international hygiene standards.
- Safety Self-Locking Mechanism:** Integrated safety sensors immediately disable motor activation whenever tools or protective covers are exposed.
- Multipurpose Interchangeability:** Replace blade cartridges to achieve different cut thicknesses without purchasing separate machines.

2. Complete Product Line Specification Matrix (19 Models)

MODEL	TYPE	CAPACITY	POWER	VOLTAGE	CUT THICKNESS	DIMENSIONS (L×W×H)	NET WEIGHT
QX	Countertop Slicer	250 kg/h	550 W	110V / 220V	2.5 – 20 mm	450 × 310 × 430 mm	35 kg
QH	Heavy Countertop	500 kg/h	550 W	110V / 220V	2.5 – 20 mm	530 × 330 × 450 mm	37 kg
QE	Floor Slicer	500 kg/h	550 W	110V / 220V	2.5 – 50 mm	530 × 320 × 680 mm	37 kg
QV	Vertical Floor	800 kg/h	550W / 750W	110V / 220V / 380V	2.5 – 30 mm	680 × 380 × 790 mm	70 kg
QSJ-B	Meat Shredder	800 kg/h	550W×2 / 750W×2	110V / 220V / 380V	2.5 – 25 mm	665 × 690 × 930 mm	138 kg
QSJ-G	Double Shredder	800 kg/h	550W×2 / 750W×2	110V / 220V / 380V	2.5 – 25 mm	750 × 970 × 930 mm	138 kg
QSJ-T	Tabletop Shredder	400 kg/h	550 W	110V / 220V	2.5 – 20 mm	450 × 320 × 430 mm	38 kg
QSJ-A	Vertical Shredder	600 kg/h	750W / 1100W	110V / 220V / 380V	2.5 – 25 mm	530 × 510 × 860 mm	65 kg
QJ	Medium Floor	800 kg/h	550W / 750W	110V / 220V / 380V	3.0 – 30 mm	590 × 460 × 910 mm	78 kg
QD	Heavy Industrial	1,500 kg/h	1,500 W	220V / 380V	4.0 mm+	690 × 640 × 910 mm	100 kg
QW	High-Output Floor	1,000 kg/h	1,500 W	220V / 380V	2.5 – 20 mm	660 × 600 × 850 mm	105 kg
DQ-1	Auto Slicer/Dicer	500 kg/h	750 W	110V / 220V	2.5 – 20 mm	520 × 430 × 820 mm	55 kg
QD-350	Industrial Dicer	500 kg/h	2,200 W	380 V	4.0 – 30 mm	1350 × 700 × 1000 mm	380 kg
DS-100D	Compact Tabletop	250 kg/h	370 W	220V / 50Hz	3.5 mm	320 × 470 × 490 mm	40 kg
DS-130	Tabletop Slicer	300 kg/h	550 W	220V / 50Hz	3.5 mm	380 × 420 × 520 mm	48 kg
DS-180	Heavy Tabletop	600 kg/h	1,100 W	220V / 380V	3.5 mm	450 × 520 × 780 mm	72 kg
DS-200D	High-Perf Floor	1,000 kg/h	1,500 W	380V / 50Hz	3.5 mm	490 × 600 × 1025 mm	90 kg
DS-300D	Industrial Heavy	1,000 kg/h	3,000 W	380V / 50Hz	3.5 mm	659 × 540 × 935 mm	138 kg

3. Detailed Specifications by Model

Model QX — Tabletop Commercial Meat Cutter



Compact countertop design with removable knife set, ideal for small butcher shops, delis, and specialty restaurants.

- **Processing Capacity:** 250 kg/h (~550 lbs/hr)
- **Motor Power & Voltage:** 550 W (0.75 HP) | 110 V / 220 V
- **Cutting Thickness:** 2.5 – 20 mm (0.1 – 0.8 in)
- **Machine Dimensions:** 450 × 310 × 430 mm
- **Net Weight:** 35 kg (77 lbs)

Model QH — High-Capacity Tabletop Meat Cutter



Upgraded tabletop meat cutter featuring double processing throughput in a compact footprint.

- **Processing Capacity:** 500 kg/h (~1,100 lbs/hr)
- **Motor Power & Voltage:** 550 W (0.75 HP) | 110 V / 220 V
- **Cutting Thickness:** 2.5 – 20 mm (0.1 – 0.8 in)
- **Machine Dimensions:** 530 × 330 × 450 mm
- **Net Weight:** 37 kg (81 lbs)

Model QE — Floor-Standing Mobile Meat Cutter



Floor-standing unit on smooth casters, featuring wide cutting thickness options up to 50mm.

- **Processing Capacity:** 500 kg/h (~1,100 lbs/hr)
- **Motor Power & Voltage:** 550 W (0.75 HP) | 110 V / 220 V
- **Cutting Thickness Range:** 2.5 – 50 mm (0.1 – 2.0 in)
- **Machine Dimensions:** 530 × 320 × 680 mm
- **Net Weight:** 37 kg (81 lbs)

Model QV — High-Output Vertical Floor Meat Slicer



Vertical gravity-feed meat cutter built for continuous high-capacity operations in commercial kitchens.

- **Processing Capacity:** 800 kg/h (~1,760 lbs/hr)
- **Motor Power & Voltage:** 550 W / 750 W (1.0 HP) | 110V / 220V / 380V
- **Cutting Thickness Range:** 2.5 – 30 mm (0.1 – 1.2 in)
- **Machine Dimensions:** 680 × 380 × 790 mm
- **Net Weight:** 70 kg (154 lbs)

Model QSJ-B — Stainless Steel Meat Shredding Machine



Floor-standing meat shredder with a durable stainless steel frame for daily commercial slicing and shredding.

- **Processing Capacity:** 800 kg/h (~1,760 lbs/hr)
- **Motor Power & Voltage:** Dual Motors (550W×2 / 750W×2) | 110V / 220V / 380V
- **Cutting Thickness Range:** 2.5 – 25 mm (0.1 – 1.0 in)
- **Machine Dimensions:** 665 × 690 × 930 mm
- **Net Weight:** 138 kg (304 lbs)

Model QSJ-G — Double-Layer High-Efficiency Meat Shredder



Features dual-layer knife groups that perform simultaneous slicing and shredding in a single feeding pass.

- **Processing Capacity:** 800 kg/h (~1,760 lbs/hr)
- **Motor Power & Voltage:** Dual Motors (550W×2 / 750W×2) | 110V / 220V / 380V
- **Cutting Thickness Range:** 2.5 – 25 mm (0.1 – 1.0 in)
- **Machine Dimensions:** 750 × 970 × 930 mm
- **Net Weight:** 138 kg (304 lbs)

Model QSJ-T — Tabletop Commercial Meat Shredder



Compact tabletop shredder unit optimized for restaurant kitchens and butcher shops needing uniform meat strips.

- **Processing Capacity:** 400 kg/h (~880 lbs/hr)
- **Motor Power & Voltage:** 550 W (0.75 HP) | 110 V / 220 V
- **Cutting Thickness Range:** 2.5 – 20 mm (0.1 – 0.8 in)
- **Machine Dimensions:** 450 × 320 × 430 mm
- **Net Weight:** 38 kg (84 lbs)

Model QSJ-A — Vertical Floor-Type Meat Shredder



Floor-type vertical meat shredding and slicing unit designed for continuous medium-to-large capacity operation.

- **Processing Capacity:** 600 kg/h (~1,320 lbs/hr)
- **Motor Power & Voltage:** 750 W / 1100 W | 110V / 220V / 380V
- **Cutting Thickness Range:** 2.5 – 25 mm (0.1 – 1.0 in)
- **Machine Dimensions:** 530 × 510 × 860 mm
- **Net Weight:** 65 kg (143 lbs)

Model QJ — Medium Heavy-Duty Meat Cutting Machine



Reinforced gear and chain drive mechanism engineered for high continuous meat portioning.

- **Processing Capacity:** 800 kg/h (~1,760 lbs/hr)
- **Motor Power & Voltage:** 550 W / 750 W | 110V / 220V / 380V
- **Cutting Thickness Range:** 3.0 – 30 mm (0.12 – 1.2 in)
- **Machine Dimensions:** 590 × 460 × 910 mm
- **Net Weight:** 78 kg (172 lbs)

Model QD — Large Heavy-Duty Industrial Meat Cutter



High-throughput heavy-duty cutter equipped with larger blade diameters for bulk meat processing plants.

- **Processing Capacity:** 1,500 kg/h (~3,300 lbs/hr)
- **Motor Power & Voltage:** 1,500 W (2.0 HP) | 220 V / 380 V
- **Cutting Thickness Range:** 4.0 mm+ (0.16 in+)
- **Machine Dimensions:** 690 × 640 × 910 mm
- **Net Weight:** 100 kg (220 lbs)

Model QW — High-Output Floor-Standing Meat Slicer



Heavy-duty floor unit featuring a enlarged feeding inlet for high-capacity central kitchens and distributors.

- **Processing Capacity:** 1,000 kg/h (~2,200 lbs/hr)
- **Motor Power & Voltage:** 1,500 W (2.0 HP) | 220 V / 380 V
- **Cutting Thickness Range:** 2.5 – 20 mm (0.1 – 0.8 in)
- **Machine Dimensions:** 660 × 600 × 850 mm
- **Net Weight:** 105 kg (231 lbs)

Model DQ-1 — Automatic Commercial Meat Slicer & Dicer



Compact floor-standing automated meat cutting solution for hotel kitchens and institutional canteens.

- **Processing Capacity:** 500 kg/h (~1,100 lbs/hr)
- **Motor Power & Voltage:** 750 W (1.0 HP) | 110 V / 220 V
- **Cutting Thickness Range:** 2.5 – 20 mm (0.1 – 0.8 in)
- **Machine Dimensions:** 520 × 430 × 820 mm
- **Net Weight:** 55 kg (121 lbs)

Model QD-350 — Commercial Industrial Meat Dicing Machine



Heavy-duty industrial hydraulic meat dicer capable of precise three-dimensional cube cutting for fresh and frozen meat.

- **Processing Capacity:** 400 – 500 kg/h (~1,100 lbs/hr)
- **Motor Power & Voltage:** 2,200 W (3.0 HP) | 380 V
- **Cutting Thickness Range:** 4.0 – 30 mm (0.16 – 1.2 in)
- **Machine Dimensions:** 1350 × 700 × 1000 mm
- **Net Weight:** 380 kg (838 lbs)

Model DS-100D — Compact Tabletop Meat Cutter



Compact DS series tabletop unit designed for small kitchens and delicate portion slicing.

- **Processing Capacity:** 250 kg/h (~550 lbs/hr)
- **Motor Power & Voltage:** 370 W (0.5 HP) | 220 V / 50 Hz
- **Standard Cut Thickness:** 3.5 mm (0.14 in)
- **Machine Dimensions:** 320 × 470 × 490 mm
- **Net Weight:** 40 kg (88 lbs)

Model DS-130 — Medium Tabletop Commercial Meat Cutter



Medium-sized tabletop cutter offering higher efficiency and durable motor drive for butcher shops.

- **Processing Capacity:** 300 kg/h (~660 lbs/hr)
- **Motor Power & Voltage:** 550 W (0.75 HP) | 220 V / 50 Hz
- **Standard Cut Thickness:** 3.5 mm (0.14 in)
- **Machine Dimensions:** 380 × 420 × 520 mm
- **Net Weight:** 48 kg (106 lbs)

Model DS-180 — Heavy Tabletop / Floor Meat Cutter



Enhanced DS series cutter designed for continuous heavy-duty operation in supermarket meat departments.

- **Processing Capacity:** 600 kg/h (~1,320 lbs/hr)
- **Motor Power & Voltage:** 1,100 W (1.5 HP) | 220 V / 380 V
- **Standard Cut Thickness:** 3.5 mm (0.14 in)
- **Machine Dimensions:** 450 × 520 × 780 mm
- **Net Weight:** 72 kg (158 lbs)

Model DS-200D — High-Performance Floor Meat Cutter



Vertical DS series floor machine delivering high capacity for commercial meat distribution centers.

- **Processing Capacity:** 1,000 kg/h (~2,200 lbs/hr)
- **Motor Power & Voltage:** 1,500 W (2.0 HP) | 380 V / 50 Hz
- **Standard Cut Thickness:** 3.5 mm (0.14 in)
- **Machine Dimensions:** 490 × 600 × 1025 mm
- **Net Weight:** 90 kg (198 lbs)

Model DS-300D — Heavy-Duty Industrial Floor Meat Cutter



Flagship 4.0 HP heavy-duty industrial unit built for large meat packing facilities and slaughterhouses.

- **Processing Capacity:** 1,000 kg/h (~2,200 lbs/hr)
- **Motor Power & Voltage:** 3,000 W (4.0 HP) | 380 V / 50 Hz
- **Standard Cut Thickness:** 3.5 mm (0.14 in)
- **Machine Dimensions:** 659 × 540 × 935 mm
- **Net Weight:** 138 kg (304 lbs)

4. Factory Contact & Commercial Support

Contact our sales engineering team for dealer pricing, replacement knife cartridges, or custom specifications:

Company: Zhengzhou Newin Machinery Co., Ltd.

Address: NO.68 Zizhu Road, High-Tech Zone, Zhengzhou, Henan, China

Direct / WhatsApp / WeChat: +86-13525583321

Email: sales@cnnewin.com

Website: [Newin Machinery Meat Cutter](<https://www.cnnewin.com/meat-cutter/>)